



Climate Change and Sea Level Rise

The Hawaiian Islands are highly exposed to the effects of climate change and sea level rise. The State has seen a decline in total rainfall, but increases in sea level rise, sea surface temperature, and acidification of ocean water over the last three decades. The statistics below represent the Sea Level Rise Exposure Area (SLR-XA) 3.2 feet.

CHANGES SINCE 2018



Declared Disasters



Events

COUNTIES MOST VULNERABLE



Kaua'i Honolulu Maui Hawai'i

HAZARD RANKING



Low Medium High

COMMUNITY LIFELINES



Total Greatest

SOCIALLY VULNERABLE POPULATION

0.5%

Of Total Population

7,127

Persons

CLIMATE PROJECTIONS



Warmer, more acidic ocean will drive changes in circulation and biologic activity



Climate change can lead to a decrease in precipitation, streamflow, and groundwater levels and increase the number of and duration of droughts



Coastline erosion alters the habitats and conditions of endemic Hawaiian species



State Buildings

Environmental

Hawaiian Home Lands

Cultural Resources

Miles of State Road

Resources





CONTENTS

4.2 Climate Change and Sea Level Rise	4 2-1
4.2.1 Hazard Profile	4.2-1
,	
TADLEC	
TABLES	
Table 4.2-1. Sea Level Rise Hazard Areas by County	4.2-8
Table 4.2-2. Linear Mean Sea Level Trends and 95% Confidence Intervals	
Table 4.2-3. Estimated State Building Loss from Sea Level Rise (SLR-XA-3.2) by County	4.2-15
Table 4.2-4. Estimated State Building Loss from Sea Level Rise (SLR-XA-3.2) by Agency	
Table 4.2-5. State Buildings Located in the 1%CFZ-3.2 by County	4.2-17
Table 4.2-6. State Buildings Located in the 1%CFZ-3.2 by Agency	4.2-17
Table 4.2-7. State Roads Located in the Sea Level Rise Hazard Areas by County	4.2-18
Table 4.2-8. Community Lifelines and Critical Facilities Located in the SLR-XA-3.2, by County	4.2-19
Table 4.2-9. Community Lifelines Located in the SLR-XA-3.2, by Category	4.2-19
Table 4.2-10. Community Lifelines and Critical Facilities Located in the 1%CFZ-3.2, by County	4.2-20
Table 4.2-11. Community Lifelines and Critical Facilities Located in the 1%CFZ-3.2, by Category	4.2-20
Table 4.2-12. Estimated Population Displaced by Sea Level Rise (SLR-XA-3.2), by County	4.2-22
Table 4.2-13. 2020 U.S. Census Population Located in the 1%CFZ-3.2, by County	4.2-22
Table 4.2-14. State Land Use Districts within the Sea Level Rise Hazard Areas	4.2-23
Table 4.2-15. Estimated Potential Structure and Property Value (Structure and Land) Loss from Sea Level	Rise (SLR-XA-3.2)
	4.2-23
Table 4.2-16. Estimated General Building Stock Loss (Structure and Contents) to the 1%CFZ-3.2	4.2-24
Table 4.2-17. Environmental Resources Located in the Sea Level Rise Hazard Areas	4.2-27
Table 4.2-18. Hawaiian Home Lands Vulnerable to Sea Level Rise	4.2-27
Table 4.2-19. Cultural Resources Vulnerable to Sea Level Rise, Statewide	4.2-28
Table 4.2-20. HCDA Community Development Districts, Enterprise Zones, and Maui Development Projects	Within Sea Level
Rise Hazard Areas	4.2-29
FIGURES	
FIGURES	





Figure 4.2-3. Global Sea Level Since 1880	4.2-4
Figure 4.2-4. Causes of Sea Level Change	4.2-5
Figure 4.2-5. Indicators of Climate Change in the Pacific Islands Region	4.2-6
Figure 4.2-6. Observed Mean Sea Level Rise Trends and Rates of Rise in the Hawaiian I	slands4.2-7
Figure 4.2-7. 1% Annual Chance Coastal Flood Event with 3.2-feet of Sea Level Rise (1999)	6CFZ-3.2) for the County of Kaua'i.4.2-
Figure 4.2-8. 1% Annual Chance Coastal Flood Event with 3.2-feet of Sea Level Rise(
Figure 4.2-9. 1% Annual Chance Coastal Flood Event with 3.2-feet of Sea Level Rise (19	%CFZ-3.2) for the County of Maui4.2-
Figure 4.2-10. 1% Annual Chance Coastal Flood Event with 3.2-feet of Sea Level Rise	
Figure 4.2-11. Sea Level Trends in the State of Hawai'i	
Figure 4.2-12. Climate Change Threats to Coral Reefs	4.2-25
Figure 4.2-13. Hawaijan Honevcreeper ('I'iwi) and Haleakalā Silversword	4.2-26





SECTION 4. RISK ASSESSMENT

4.2 CLIMATE CHANGE AND SEA LEVEL RISE

2023 SHMP Update Changes

- New and updated statistics and figures from federal, state, academic, and local agencies are incorporated.
- Discussion of how climate change and sea level rise impact socially vulnerable populations and community lifelines is incorporated.
- In Environmental Resources, reefs (both artificial and coral) are analyzed in their own category.
- Six types of cultural resources (archaeology, burial sensitivity area, historic building, historic district, historic object, and historic structure) are added to the vulnerability assessment.

4.2.1 HAZARD PROFILE

Climate is defined as long-term averages and variations in weather measured over a period of time. A change in the state of the climate can be identified by changes in the mean and/or variability of its properties that persist for an extended period of time, typically decades or longer. Key indicators of the changing climate include rising carbon dioxide in the atmosphere, rising air and sea temperatures, rising sea levels and upper-ocean heat content, changing ocean chemistry and increasing ocean acidity, changing rainfall patterns, decreasing base flow in streams, changing wind and wave patterns, changing extremes, and changing habitats and species distributions (Department of Land and Natural Resources 2016).

This section provides general information on the climate change hazard with an enhanced discussion on sea level rise. For an analysis of how climate change impacts natural hazards, see each natural hazard profile in this plan.

HAZARD DESCRIPTION

Climate Change

Since 1880, global average surface air temperatures have increased 1.82 degrees Fahrenheit (°F) (NASA 2022). Figure 4.2-1 shows the number of degrees that the average global temperature for each year differs from the average global temperature during the last century (1901–2000).

The planet's average surface temperature has risen largely due to increased carbon dioxide and other human-made emissions into the atmosphere. Most of the warming occurred in the past 40 years, with 16 of the last 17 years having been the warmest ever recorded.








Figure 4.2-1. Global Temperature Change

Source: (U.S. Global Change Research Program 2021)

In the State of Hawai'i, climate is changing in ways that are consistent with the influence of global warming. The State of Hawai'i has experienced rising air temperatures, decreased rainfall and stream flow, increased rain intensity, increased sea level and sea surface temperatures, and acidification of the ocean.

- Surface Air Temperature. Figure 4.2-2 shows temperature changes across Hawai'i since 1950. The lines on the graph show observed changes (compared to the 1951–1980 average; horizontal black line) in annual near-surface air temperature for five long-term reporting stations in Hawai'i from 1950 to 2020. Temperatures across the islands have risen by about 2°F since 1950, with a sharp increase in warming over the last decade (NOAA 2022).
- Rainfall and Stream Discharge. The State of Hawai'i has seen an overall decline in rainfall in the last 30 years, with widely varying precipitation patterns on each island. Projections show that the State of Hawai'i will see more drought and heavy rain events. A decline in overall precipitation totals have caused a decrease in stream base flow, which may reduce aquifer discharge and freshwater supplies. This may also negatively impact aquatic and riparian ecosystems and agriculture.
- Rain Intensity. Between 1958 and 2007, the amount of rain falling in the very heaviest downpours has increased by approximately 12%. These heavy rain events may lead to more flash flooding, damage to infrastructure, runoff, and sedimentation.
- Sea Level. Refer to the following subsection for information on sea level changes in the State of Hawai'i.
- Sea Surface Temperature. At Station ALOHA, marine researchers at the University of Hawai'i and cooperating institutions have measured an increase of sea surface temperature of 0.22°F per decade. With climate change impacts, this rate is likely to increase, potentially exposing coral reefs and other marine ecosystems to negative impacts related to increased temperatures, including coral bleaching.
- Ocean Acidification. Rising carbon dioxide in the atmosphere is taken-up (dissolved) in seawater, causing the pH of the ocean to drop or acidify with negative impacts to organisms that make calcium carbonate shells, such as calcareous plankton, corals, and mollusks. Measurements at Station ALOHA over the last 20 years have documented that the surface ocean around the State of Hawai'i has grown more acidic (University of Hawai'i at Mānoa Sea Grant College Program 2014) (Fletcher 2010).








Figure 4.2-2. Observed Hawai'i Temperature Change

Source: (NOAA 2022)

Sea Level Rise

Global mean sea level rise has been observed over the last century in tide station data from around the world and, more recently, in satellite-based ocean height measurements. The rate of global sea level rise has accelerated over the past century, as seen in Figure 4.2-3, and global mean sea level has risen by 8 to 9 inches since 1880. In 2021, global sea level set a new record high of 3.8 inches above 1993 levels (Hawai'i Climate Change Mitigation and Adaptation Commission 2017) (Lindsey 2022).

There are two types of sea level rise: global and relative (local). Global sea level rise refers to the increase currently observed in the average global sea level trend. This is primarily attributed to changes in ocean volume due to ice melt and thermal expansion. The melting of glaciers and continental ice masses can contribute significant amounts of freshwater input to the earth's oceans. In addition, observed increase in global ocean temperature causes an expansion of seawater, increasing ocean volume (NASA 2020). Refer to Figure 4.2-4 for an illustration of what causes sea level to change.





OBAL SEA LEVEL 100 Change in sea level compared to 1993-2008 average (mm) 50 My man ham ham ham have the second of the se 0 -50 -100 -150-200 -2501880 1900 1920 1940 1960 1980 2000 2020 Years

Figure 4.2-3. Global Sea Level Since 1880

Source: (Lindsey 2022)

Note: The light blue line shows seasonal (3-month) sea level estimates from Church and White (2011). The darker line is based on University of Hawai'i Fast Delivery sea level data.








Figure 4.2-4. Causes of Sea Level Change

Source: (NASA 2020)

Relative (or local) sea level is affected by global sea level fluctuations, changes in land elevation, winds, and ocean circulation. It refers to the height of the water as measured along the coast relative to a specific point on land. Tide stations measure local sea level rise. Water measurements at the tide stations are referenced to stable vertical points on the land, and a known relationship is established. Measurements at any given tide station include both global sea level rise and vertical land motion (subsidence, glacial rebound, or large-scale tectonic motion). Since the heights of both the land and water change, the landwater interface can vary spatially and temporally and must be defined over time. Depending on the rates of vertical land motion relative to changes in sea level, observed local sea level trends may differ greatly from the average rate of global sea level rise and vary widely from one location to the next. Relative sea level trends reflect changes in local sea levels over time and are typically the most critical sea level trend for many coastal applications, including coastal mapping, marine boundary delineation, coastal zone management, coastal engineering, sustainable habitat restoration design, and the general public enjoying their favorite beach (NOAA 2022).

Rising sea level and projections of stronger and more frequent El Niño events and tropical cyclones in waters surrounding the State of Hawai'i all indicate a growing vulnerability to coastal flooding and erosion (Hawai'i Climate Change Mitigation and Adaptation Commission 2017) (EPA 2016). Changing sea levels can affect human activities in coastal areas. Rising sea level inundates low-lying wetlands and dry land, erodes shorelines, contributes to coastal flooding, and increases the flow of salt water into estuaries and nearby groundwater aquifers. Coastal areas become more vulnerable to damage from storms as well (EPA 2016).

LOCATION

The State of Hawai'i is experiencing climate change and sea level rise impacts in unique, region-specific ways. Climate change and sea level rise can impact marine ecosystems, coasts and the built environment, terrestrial ecosystems, freshwater





resources, and human health. Some of these impacts have already been observed, while others are projected to manifest in the coming years (University of Hawai'i at Mānoa Sea Grant College Program 2014).

Climate change will continue to be felt from the upper reaches of each island to the sea and throughout the entire archipelago, including the main Hawaiian Islands and Northwestern Hawaiian Islands. Figure 4.2-5 shows the key indicators of climate change in the Hawaiian Islands and the relative location of these changes.

Extreme Events Changing Carbon Dioxide Concentrations Surface Air Temperature Rising Rainfall Changing Winds and Waves Changing Terrestrial Habitats Species Ocean Currents and Distributions Changing Circulation Chaning Marine Habitats and Species Distributions Changing Sea Surface Temperature Baseflow in Streams Rising Decreasing Ocean Chemistry Ocean pH Changing Decreasing

Figure 4.2-5. Indicators of Climate Change in the Pacific Islands Region

Source: (V. W. Keener 2012)

The local relative rates of sea level rise vary among the Hawaiian Islands due to varying rates of subsidence along the volcanic island chain and possibly, in part, due to oceanic variability. As seen in Figure 4.2-6, the relative rate of sea level rise on the Island of Hawai'i is almost twice the rate on the Island of Kaua'i. This is due to the fact that the Island of Hawai'i is slowly subsiding as it gains mass from active volcanoes, resulting in a higher relative rate of sea level rise while the Islands of Kaua'i and O'ahu, which are older islands, are relatively stable (Hawai'i Climate Change Mitigation and Adaptation Commission 2017) (NOAA 2022).








Figure 4.2-6. Observed Mean Sea Level Rise Trends and Rates of Rise in the Hawaiian Islands

Source: (NOAA Tides & Currents 2022)

Key Terms

- SLR-XA The SLR-XA represents the area exposed to chronic coastal flooding and land loss based on modeling of
 passive flooding, annual high wave flooding and coastal erosion (refer to Section 4.0 for further details).
- **Chronic Coastal Flood** The SLR-XA with 1.1 feet of sea level rise (SLR-XA-1.1) approximates current or near-term exposure to chronic coastal flooding discussed in Section 4.2.
- SLR-XA-3.2 The SLR-XA with 3.2 feet of sea level rise was used to assess mid- to late century exposure to chronic coastal flooding.
- Event-Based Flood The 1% annual chance flood as depicted on the FEMA Flood Insurance Rate Maps, also known as the Special Flood Hazard Area (inclusive of V- zones, or wave velocity zones with waves 3 feet or greater, and A-zones or flooded areas not subject to waves greater than 3 feet), was assessed in Section 4.7.
- 1%CFZ-3.2 The 1% annual chance coastal flood zone with 3.2 feet of sea level rise was used to assess mid- to late century event-based coastal flooding.

Modeling was conducted using the best available data and methods to determine the potential future exposure of the State of Hawai'i to multiple coastal hazards as a result of sea level rise (Hawai'i Climate Change Mitigation and Adaptation Commission 2017). The National Oceanic and Atmospheric Administration (NOAA), in a 2022 update to a report looking at the latest peer-reviewed science on sea level rise projections, finds that 3.2 feet of sea level rise will happen by 2100 in an "intermediate" (mid-range) scenario (Sweet, et al. 2022) for the contiguous United States. However, the "intermediate" scenario for Hawai'i is estimated at 3.9 feet of sea level rise by 2100 (DLNR OCCL 2022). As noted in the 2017 Hawai'i Sea Level Rise Vulnerability and Adaptation Report and discussed in the chronic coastal flood section of this plan (Section 4.6 Flood), current or near-term exposure to coastal hazards is assessed using the Sea Level Rise Exposure Area with 1.1 feet of sea level rise (SLR-XA-1.1). To assess mid- to late century sea level rise on chronic coastal flooding, the Sea Level Rise Exposure





Area with 3.2 feet of sea level rise (SLR-XA-3.2) is used for the 2023 SHMP Update, which is the best available exposure data. These maps may be seen on the Hawai'i Sea Level Rise Viewer located at: http://www.pacioos.hawaii.edu/shoreline/slr-hawaii/.

The 1% annual chance coastal flood zone (referred to as the 1%CFZ) will expand with sea level rise meaning that more land area will be exposed to damaging wave impacts from a 100-year flood event. The 1%CFZ with 3.2 feet of sea level rise (1%CFZ-3.2) was utilized to assess mid- to late century sea level rise on coastal event-based flooding. The event-based flood hazard discussed in Section 4.6 assesses the entire Special Flood Hazard Area (V- and A-zones). Sea level rise effects on event-based flooding only includes the coastal flood zones. The 1%CFZ-3.2 areas are shown in Figure 4.2-7 through Figure 4.2-10.

Table 4.2-1 shows the estimated square miles of potential land loss/impact due to 3.2 feet of sea level rise for each county. The state's total potential lost area due to chronic coastal flooding with sea level rise will amount to an estimated 0.5 percent of the state's total land area; however, it comprises of some of the most developed and valued land. When examining the 1% annual chance coastal flood event with 3.2 feet of sea level rise, 1.7 percent of the state's land will be impacted. The City and County of Honolulu, with its expansive coastal plains, will have the most land unusable due to sea level rise, followed by the Counties of Kaua'i and Maui.

Table 4.2-1. Sea Level Rise Hazard Areas by County

		Area								
	Total Area	SLR-XA-3.2	SLR-XA-3.2 as %	1%CFZ-3.2	1%CFZ-3.2 Area as					
County	(square miles)	(square miles)	of Total Area	(square miles)	% of Total Area					
County of Kauaʻi	624.3	8.8	1.4%	32.8	5.3%					
City and County of Honolulu	598.6	13	2.2%	41.2	6.9%					
County of Maui	1,176.3	7.8	0.7%	15.7	1.3%					
County of Hawaiʻi	4,039.6	4.3	0.1%	19.4	0.5%					
Total	6,438.8	33.9	0.5%	109.1	1.7%					

Source: Hawai'i Climate Change Mitigation and Adaptation Commission 2017; Tetra Tech Inc. and Sobis Inc. 2017, U.S. Census Bureau 2021

EXTENT

Climate Change

Increasing temperatures, and in some areas, reduced rainfall will stress native plants and animals, especially in high-elevation ecosystems with increasing exposure to invasive species, increasing the risk of extinctions and wildfire (see Section 4.15 Wildfire). Freshwater supplies are already constrained and will become more limited on many Hawaiian Islands (Keener, et al. 2018). In areas where precipitation does not increase, freshwater supplies will be adversely affected as the air temperature rises.


Sea Level Rise

Rising sea levels, coupled with high water levels caused by storms, will incrementally increase coastal flooding and erosion, damaging coastal ecosystems, infrastructure, and agriculture, and negatively affecting tourism (Keener, et al. 2018). As noted earlier, the latest peer-reviewed science on Hawai'i sea level rise projections and finds that 3.9 feet of sea level rise will happen by 2100 in an "intermediate" (mid-range) scenario (DLNR OCCL 2022).





Figure 4.2-7. 1% Annual Chance Coastal Flood Event with 3.2-feet of Sea Level Rise (1%CFZ-3.2) for the County of Kaua'i



Note: Ni'ihau was not modeled





Figure 4.2-8. 1% Annual Chance Coastal Flood Event with 3.2-feet of Sea Level Rise(1%CFZ-3.2) for the City and County of Honolulu









Figure 4.2-9. 1% Annual Chance Coastal Flood Event with 3.2-feet of Sea Level Rise (1%CFZ-3.2) for the County of Maui




Note: Kahoʻolawe was not modeled





Figure 4.2-10. 1% Annual Chance Coastal Flood Event with 3.2-feet of Sea Level Rise (1%CFZ-3.2) for the County of Hawai'i







Sea level is measured by two main methods: tide gauges and satellite laser altimeters. Tide gauge stations from around the world have measured the daily high and low tides for over a century. Using data from these stations, scientists can calculate a global average of change. Since the early 1990s, sea level has been measured from space using laser altimeters. This method determines the height of the sea surface by measuring the return speed and intensity of a laser pulse directed at the ocean. The higher the sea level, the faster and stronger the return signal (NASA Earth Observatory 2020). Figure 4.2-11 illustrates the regional trends in sea level rise for the State of Hawai'i. The arrows represent the direction and magnitude of change. Sea level trends in the State of Hawai'i are on the rise and range between 1.55 to 3.87 millimeters per year (mm/yr). Table 4.2-2 lists these changes for the State of Hawai'i by station.

Relative Sea Level Trends
mm/yr (feet/century)
Above 9 6 to 9 3 to 6 >0 to 3 -3 to 0 -6 to -3 -9 to -6 Below -9
(Above 3) (2 to 3) (1 to 2) (0 to 1) (-1 to 0) (-2 to -1) (-3 to -2) (Below -3)

Figure 4.2-11. Sea Level Trends in the State of Hawai'i

Source: (NOAA Tides & Currents 2022)

Table 4.2-2. Linear Mean Sea Level Trends and 95% Confidence Intervals

Station Name	First Year	Year Range	Mean Sea Level Trend (millimeter per year)	+/- 95% Confidence Interval	Equivalent To
Nāwiliwili	1955	66	1.77	0.40	0.58 feet in 100 years
Mokuolo'e	1957	64	1.69	0.52	0.55 feet in 100 years
Honolulu	1905	116	1.55	0.21	0.51 feet in 100 years
Kahului	1947	74	2.26	0.39	0.74 feet in 100 years
Kawaihae	1988	33	3.87	1.13	1.27 feet in 100 years
Hilo	1927	94	3.15	0.29	1.03 feet in 100 years

Source: (NOAA Tides & Currents 2022)





PREVIOUS OCCURRENCES AND LOSSES

Disaster and Emergency Declarations

No FEMA, USDA, or State of Hawai'i disaster declarations or proclamations for climate change and sea level rise have been issued relevant to Hawai'i or any of its counties.

Event History

Sea level has been rising in the State of Hawai'i for the past century or more (refer to Table 4.2-2, Figure 4.2-6, and Figure 4.2-11). Rates of rise vary among the islands due to differing rates of subsidence based on distance from the actively-growing Island of Hawai'i. Other observations related to climate change and sea level rise in the State of Hawai'i include 70 percent of the beaches in the State of Hawai'i are undergoing chronic erosion (landward retreat), and over 13 miles of beach have been completely lost to erosion over the past century fronting seawalls and other shoreline structures. This dominant trend of beach erosion appears to be driven in part by local sea level rise (Anderson, et al. 2018). Shoreline retreat, wetland migration, and cliff collapse due to erosion are occurring on many of the coastlines in the State of Hawai'i. Groundwater tables in the state's low-lying coastal plains will rise with sea level rise and increasingly contribute to chronic coastal flooding and flooding (i.e., reduced drainage) with heavy rainfall events (Habel, et al. 2017). In addition, rising sea level will reduce the effectiveness and cause flooding through the state's coastal storm water drainage infrastructure.

PROBABILITY OF FUTURE HAZARD EVENTS

Overall Probability

The State of Hawai'i is currently experiencing the impacts of climate change. Surface temperatures are rising, rainfall and stream flow have decreased, rain intensity is increasing, sea level and sea surface temperatures have increased, and the ocean is acidifying. It is anticipated that these trends will continue or accelerate, causing further increases in temperature, extreme variation in precipitation (resulting in droughts or flooding), potential changes in storm systems (possibly more frequent or increased magnitude), and continued rise in sea levels, impacting the state's water resources and forests, coastal communities, and marine ecology (Fletcher 2010).

As global temperatures continue to increase, sea level will rise at increasing rates. The rate of future carbon dioxide emissions and future climate change determines how much the sea level will rise. The speed at which it rises depends mostly on the rate of glacier and ice sheet melting (Lindsey 2022). Sea level is projected to rise 3.2 feet the latter half of the century and impacts are assessed further in the Vulnerability Assessment below (Hawai'i Climate Change Mitigation and Adaptation Commission 2017). In summary, consequences of sea level rise for the State of Hawai'i are severe compared to many other coastal states, as the majority of the population, public infrastructure, and economic sectors exist on low-lying coastal plains which are highly susceptible to coastal hazards (Courtney, et al. 2020)

It is hypothesized that El Niño may increase in frequency with global warming. The impacts of El Niño may exacerbate the consequences of sea level rise. El Niño events in the tropical Pacific Ocean can cause sea levels to rise 6 to 12 inches above mean conditions in some areas are typically characterized by higher waves in winter (Hawai'i Climate Change Mitigation and Adaptation Commission 2017).

Climate Change Impacts

Sea level rise is driven by climate change. As the planet warms, land ice melts and flows into the ocean. The volume of the ocean is expanding as the water temperature increases (Lindsey 2022).





4.2.2 VULNERABILITY ASSESSMENT

A statewide sea level rise exposure analysis was conducted for two flood scenarios, chronic coastal flooding (SLR-XA-3.2) and event-based coastal flooding with 3.2 feet of sea level rise (1%CFZ-3.2). The SLR-XA-3.2 data was generated for the Hawai'i Climate Mitigation and Adaptation Commission. Overall, vulnerability to SLR-XA-3.2 is the potential permanent loss of land and buildings and displacement of population located in the SLR-XA-3.2 hazard area due to chronic flooding. Land that is flooded in the 1%CFZ-3.2 is not considered "lost" because it is assumed the flooding is temporary and the floodwaters would recede. However, buildings and natural resources on that land may be damaged or destroyed as a result of the event. Therefore, vulnerability to the 1%CFZ-3.2 is the potential damage to assets as a result of the event-based coastal flooding exacerbated by sea level rise.



Sea Level Rise Hazard Area Definitions

SLR-XA-3.2 – To assess chronic coastal flood with mid- to late century sea level rise, the SLR-XA with 3.2 feet of sea level rise was used. The hazard area is called SLR-XA-3.2.

1%CFZ-3.2 – To assess the 1% annual chance coastal flood in mid- to late century, the 1% annual chance coastal flood with 3.2 feet of sea level rise was used. The hazard area is called 1%CFZ-3.2.

ASSESSMENT OF STATE VULNERABILITY AND POTENTIAL LOSSES

This section discusses statewide vulnerability of exposed state assets (state buildings and roads), community lifelines, and critical facilities to climate change and sea level rise hazards.

State Assets

Across the state, there are 54 state buildings that may be compromised or lost due to sea level rise (SLR-XA-3.2). Almost all of these buildings are located in the City and County of Honolulu (51 of the 55 buildings with a replacement cost value of nearly \$57 million). Only replacement cost value was available for state buildings and reported as the total economic loss. However, a more accurate reflection of loss to the SLR-XA-3.2 hazard would be the combined value of the land and structure.

Table 4.2-3 summarizes the state buildings located in the SLR-XA-3.2 by county. The Department of Education has the greatest number of buildings (37) in the SLR-XA-3.2 hazard area as seen in Table 4.2-4. The loss of these structures may result in the interruption and/or relocation of state services if they remain in their present locations.

Table 4.2-3. Estimated State Building Loss from Sea Level Rise (SLR-XA-3.2) by County

County	Total Number of State Buildings	Total Value	Number of State Buildings in SLR- XA-3.2		Total Value of State Buildings in SLR-XA-3.2	Percent (%) of Total Value
County of Kaua'i	531	\$990,850,824	1	0.2%	\$248,896	0.03%
City and County of Honolulu	3,472	\$17,393,945,915	51	1.5%	\$56,886,036	0.3%
County of Maui	831	\$3,097,491,689	2	0.2%	\$370,372	0.01%
County of Hawai'i	1,261	\$4,638,567,141	0	0.0%	\$0	0.0%
Total	6,095	\$26,120,855,568	54	0.90%	\$57,505,304	0.2%

Source: State of Hawai'i Risk Management Office 2017; Hawai'i Climate Change Mitigation and Adaptation Commission 2017





Table 4.2-4. Estimated State Building Loss from Sea Level Rise (SLR-XA-3.2) by Agency

	Total Number		Number of State	Percent (%) of		Percent (%)
	of State		Buildings in	Total	Total Value in	of Total
Agency	Buildings	Total Value	SLR-XA-3.2	Buildings	SLR-XA-3.2	Value
Dept. of Accounting & General	66	\$953,963,738	0	0.0%	\$0	0.0%
Services		. , ,			·	
Dept. of Agriculture	70	\$147,607,399	1	1.4%	\$2,350,211	1.6%
Dept. of Attorney General	15	\$108,425,480	0	0.0%	\$0	0.0%
Dept. of Budget & Finance	16	\$28,968,679	0	0.0%	\$0	0.0%
Dept. of Business, Economic	25	\$645,480,379	1	4.0%	\$2,300,000	0.4%
Development and Tourism						
Dept. of Commerce & Consumer	2	\$40,197,360	0	0.0%	\$0	0.0%
Affairs	69	¢267.252.926	0	0.0%	\$0	0.0%
Dept. of Defense		\$267,352,836	37	0.0%		0.0%
Dept. of Education	4,090	\$10,598,205,739			\$16,732,208	
Dept. of Hawaiian Home Lands	12 44	\$110,427,352	0	8.3%	\$5,489,080	5.0%
Dept. of Health		\$387,068,440		0.0%	\$0	0.0%
Dept. of Human Resources Development	1	\$5,973,872	0	0.0%	\$0	0.0%
Dept. of Human Services	130	\$480,212,294	2	1.5%	\$3,234,562	0.7%
Dept. of Labor and Industrial Relations	22	\$90,076,209	0	0.0%	\$0	0.0%
Dept. of Land and Natural Resources	90	\$101,441,821	8	8.9%	\$1,232,468	1.2%
Dept. of Public Safety	154	\$440,774,415	0	0.0%	\$0	0.0%
Dept. of Taxation	1	\$7,174,162	0	0.0%	\$0	0.0%
Dept. of Transportation	68	\$2,935,208,214	1	1.5%	\$3,754,468	0.1%
Hawai'i State Ethics Commission	1	\$984,533	0	0.0%	\$0	0.0%
Hawaiʻi Health Systems Corporation	106	\$1,230,852,871	0	0.0%	\$0	0.0%
Hawai'i Housing Finance & Development Corporation	86	\$360,851,671	0	0.0%	\$0	0.0%
Hawai'i Public Housing Authority	273	\$982,981,701	1	0.4%	\$5,340,000	0.54%
Hawai'i State Legislature	2/3	\$48,555,381	0	0.4%	\$5,540,000	0.34%
Hawai'i State Public Library System	53	\$525,584,082	0	0.0%	\$0	0.0%
Judiciary	41	\$534,877,354	0	0.0%	\$0	0.0%
Legislative Reference Bureau	1	\$2,996,162	0	0.0%	\$0	0.0%
Office of Hawaiian Affairs	11	\$54,125,645	1	9.1%	\$248,896	0.5%
Office of the Auditor	2	\$1,921,180	0	0.0%	\$0	0.0%
Office of the Governor	1	\$2,996,162	0	0.0%	\$0	0.0%
Office of the Lieutenant Governor	2	\$4,588,849	0	0.0%	\$0	0.0%
Office of the Ombudsman	1	\$1,818,060	0	0.0%	\$0	0.0%
Research Corporation of the University of Hawaiʻi	3	\$4,189,026	0	0.0%	\$0	0.0%
University of Hawai'i	637	\$5,014,974,503	1	0.2%	\$16,823,413	0.3%
Total	6,095	\$26,120,855,568	54	0.2%	\$57,505,304	0.3%
Total	0,095	320,120, 633,308	34	0.5%	307,303,304	0.2%

Source: State of Hawai'i Risk Management Office 2017; Hawai'i Climate Change Mitigation and Adaptation Commission 2017





Event-based coastal flooding from waves generated by infrequent but severe storms and other coastal hazards could occur at any time but will be exacerbated by sea level rise. There are 638 state buildings located in the 1%CFZ-3.2 area, of which the majority are in the City and County of Honolulu (458 buildings with a replacement cost value of \$1.994 billion). Table 4.2-5 summarizes the state buildings located in the 1%CFZ-3.2 area by county. The Department of Education occupies the greatest number of buildings (392) that may be impacted as seen in Table 4.2-6.

Table 4.2-5. State Buildings Located in the 1%CFZ-3.2 by County

	Total Number of	Total Replacement	Number of State	Percent (%) of	Total RCV	Percent (%)
County	State Buildings	Cost Value (RCV)	Buildings Exposed	Total Buildings	Exposed	of Total RCV
County of Kaua'i	531	\$990,850,824	112	21%	\$205,951,080	21%
City and County of	3,472	\$17,393,945,915	458	13%	\$1,994,518,893	11%
Honolulu						
County of Maui	831	\$3,097,491,689	50	6%	\$176,627,159	6%
County of Hawai'i	1,261	\$4,638,567,141	18	1%	\$38,714,514	1%
Total	6,095	\$26,120,855,568	638	10%	\$2,415,811,646	9%

Source: State of Hawai'i Risk Management Office 2017; Tetra Tech Inc. and Sobis Inc. 2017

Table 4.2-6. State Buildings Located in the 1%CFZ-3.2 by Agency

	Total Number	Total	Number of			Percent (%)
	of State	Replacement Cost	State Buildings	Percent (%) of	Total RCV	of Total
Agency	Buildings	Value	Exposed	Total Buildings	Exposed	Value
Dept. of Accounting & General Services	66	\$953,963,738	10	15.15%	\$167,495,223	17.56%
Dept. of Agriculture	70	\$147,607,399	13	18.57%	\$26,049,092	17.65%
Dept. of Attorney General	15	\$108,425,480	4	26.67%	\$31,157,323	28.74%
Dept. of Budget & Finance	16	\$28,968,679	4	25.00%	\$21,653,840	74.75%
Dept. of Business, Economic Development and Tourism	25	\$645,480,379	4	16.00%	\$15,921,383	2.47%
Dept. of Commerce & Consumer Affairs	2	\$40,197,360	0	0.00%	\$0	0.00%
Dept. of Defense	69	\$267,352,836	9	13.04%	\$29,801,107	11.15%
Dept. of Education	4,090	\$10,598,205,739	392	9.58%	\$891,873,401	8.42%
Dept. of Hawaiian Home Lands	12	\$110,427,352	1	8.33%	\$5,489,080	4.97%
Dept. of Health	44	\$387,068,440	6	13.64%	\$10,848,499	2.80%
Dept. of Human Resources Development	1	\$5,973,872	0	0.00%	\$0	0.00%
Dept. of Human Services	130	\$480,212,294	30	23.08%	\$179,075,774	37.29%
Dept. of Labor and Industrial Relations	22	\$90,076,209	6	27.27%	\$62,294,284	69.16%
Dept. of Land and Natural Resources	90	\$101,441,821	32	35.56%	\$16,570,694	16.34%
Dept. of Public Safety	154	\$440,774,415	15	9.74%	\$36,397,935	8.26%
Dept. of Taxation	1	\$7,174,162	1	100.00%	\$7,174,162	100.00%
Dept. of Transportation	68	\$2,935,208,214	39	57.35%	\$248,429,656	8.46%
Hawai'i State Ethics Commission	1	\$984,533	0	0.00%	\$0	0.00%
Hawai'i Health Systems Corporation	106	\$1,230,852,871	1	0.94%	\$936,734	0.08%
Hawai'i Housing Finance & Development Corporation	86	\$360,851,671	5	5.81%	\$118,247,972	32.77%





Azonov	Total Number of State	Total Replacement Cost Value		Percent (%) of Total Buildings	Total RCV	Percent (%) of Total Value
Agency	Buildings	2 3.10.10	Exposed	J	Exposed	
Hawai'i Public Housing Authority	273	\$982,981,701	34	12.45%	\$38,602,393	3.93%
Hawai'i State Legislature	2	\$48,555,381	0	0.00%	\$0	0.00%
Hawai'i State Public Library	53	\$525,584,082	11	20.75%	\$25,026,076	4.76%
System						
Judiciary	41	\$534,877,354	5	12.20%	\$74,290,061	13.89%
Legislative Reference Bureau	1	\$2,996,162	0	0.00%	\$0	0.00%
Office of Hawaiian Affairs	11	\$54,125,645	6	54.55%	\$43,013,415	79.47%
Office of the Auditor	2	\$1,921,180	0	0.00%	\$0	0.00%
Office of the Governor	1	\$2,996,162	0	0.00%	\$0	0.00%
Office of the Lieutenant	2	\$4,588,849	0	0.00%	\$0	0.00%
Governor						
Office of the Ombudsman	1	\$1,818,060	0	0.00%	\$0	0.00%
Research Corporation of the	3	\$4,189,026	0	0.00%	\$0	0.00%
University of Hawaiʻi						
University of Hawaiʻi	637	\$5,014,974,503	19	2.98%	\$446,172,321	8.90%
Total	6,095	\$26,120,855,568	647	10.62%	\$2,496,520,425	9.56%

Source: State of Hawai'i Risk Management Office 2017; Tetra Tech Inc. and Sobis Inc. 2017

Approximately 38.8 miles of state roads could be chronically flooded with 3.2 feet of sea level rise; with the majority of these roads located in the City and County of Honolulu (19.4 miles). The flooding may cause these roads to be impassible, which would jeopardize critical access to many communities and eventually lead to permanent road closures.

Statewide, there are more than 100 miles of state roads exposed to event-based coastal flooding in the 1%CFZ-3.2 hazard area. Many state roads serve as evacuation routes to higher ground. Not only will these roads be closed during coastal flood events and potentially isolate communities, the flood waters may accelerate the degradation of these roads leading to increased repair and replacement costs. The City and County of Honolulu has the greatest number of state (State Profile and Risk Assessment Supplement) road miles (50.9 miles) exposed to the 1%CFZ-3.2, followed by the Counties of Kaua'i and Maui, respectively. More than 25% of the County of Kauai's state roads are located in the 1%CFZ-3.2 hazard area. Table 4.2-7 shows the length of state roads exposed to sea level rise by county. A complete list of state roads exposed is included in Appendix F (State Profile and Risk Assessment Supplement).

Table 4.2-7. State Roads Located in the Sea Level Rise Hazard Areas by County

		Miles of State		Miles of State	
	Total Length	Road in the SLR-	Percent (%) of	Road in the 1%CFZ-	Percent (%) of
County	(miles)	XA-3.2	Total Length	3.2	Total Length
County of Kaua'i	103.7	7.4	7.1%	26.9	25.9%
City and County of Honolulu	374.9	19.4	5.2%	50.9	13.6%
County of Maui	245.9	11.8	4.8%	20.3	8.3%
County of Hawai'i	379.2	0.2	0.05%	2.8	0.7%
Total	1,103.7	38.8	3.5%	100.9	9.1%

Source: State of Hawai'i Department of Transportation 2022; Hawai'i Climate Change Mitigation and Adaptation Commission 2017; Tetra Tech Inc. and Sobis Inc. 2017





Community Lifelines and Critical Facilities

Sea level rise may result in the permanent loss of community lifelines, including roads, airports, harbors, utility infrastructure, water/wastewater facilities and conveyance systems, and other public service facilities with cascading impacts statewide. There are 33 community lifelines located in the SLR-XA-3.2 hazard area (see Table 4.2-8). The County of Maui has the greatest number of community lifelines (14) exposed with the majority of the facilities being food, water, and shelter. Table 4.2-9 summarizes the number and percentage of exposed community lifelines. Food, water, and shelter have more than 4% of their facilities located in the SLR-XA-3.2 hazard area statewide. It is recognized that the replacement cost value listed in Table 4.2-9 does not depict an accurate loss estimate; however, this was the best available data for the 2023 SHMP Update. A more accurate reflection of loss to the SLR-XA-3.2 would be the combined value of the land and structure using tax-assessed data. In addition to land and structural loss, the loss of service by that community lifeline would further increase the total loss as a result of sea level rise.

Table 4.2-8. Community Lifelines and Critical Facilities Located in the SLR-XA-3.2, by County

			Co	mmunity Life	eline Categor	ies			
County	Communications	Energy	Food, Water, Shelter	Hazardous Material	Health & Medial	Safety & Security	Fransportation	Total in the SLR-XA-3.2	Additional Critical Facilities
County of Kaua'i	0	0	2	0	0	4	0	6	0
City and County of Honolulu	1	1	6	0	2	3	0	13	
County of Maui	1	1	7	0	0	3	2	14	
County of Hawai'i	0	0	0	0	0	0	0	0	
Total	2	2	15	0	2	10	2	33	0

Source: Hawai'i Emergency Management Agency 2017; Federal Emergency Management Agency Lifeline Data 2020; Hawai'i Climate Change Mitigation and Adaptation Commission 2017

Table 4.2-9. Community Lifelines Located in the SLR-XA-3.2, by Category

Category	Total Number of Facilities	Total Value	Number of Facilities in SLR-XA-3.2	Percent (%) of Total Facilities	Value in the SLR- XA-3.2	Percent (%) of Total Value
Communications	188	\$776,797,683	2	1.1%	\$12,149,409	1.6%
Energy	89	\$3,093,949,530	2	2.3%	\$74,710,900	2.4%
Food, Water, Shelter	345	\$11,847,189,588	15	4.4%	\$546,303,600	4.6%
Hazardous Material	12	\$436,474,800	0	0.0%	\$0	0.0%
Health and Medical	193	\$4,606,713,364	2	1.0%	\$11,018,840	0.2%
Safety and Security	486	\$38,164,188,232	10	2.1%	\$4,218,454,122	11.1%
Transportation	56	\$2,039,091,600	2	3.6%	\$72,588,000	3.6%
Total	1,369	\$60,964,404,797	33	14.3%	\$4,935,224,870	8.1%

Source: Hawai'i Emergency Management Agency 2017; Federal Emergency Management Agency Lifeline Data 2020; Hawai'i Climate Change Mitigation and Adaptation Commission 2017





Table 4.2-10 summarizes the total number of community lifelines and additional critical facilities located in the 1%CFZ-3.2 area by county. The City and County of Honolulu has the greatest number of critical facilities (119) within the hazard area with the majority of the facilities being food, water, and shelter.

Table 4.2-11 summarizes the number and percentage of exposed community lifelines and additional critical facilities. The transportation lifeline has 28.6% of their facilities within the hazard area.

Table 4.2-10. Community Lifelines and Critical Facilities Located in the 1%CFZ-3.2, by County

	Community Lifelines								
County	Communications	Energy	Food, Water, Shelter	Hazardous Materials	Health and Medical	Safety and Security	Transportation	Total in the 1%CFZ-3.2	Additional Critical Facilities
County of Kaua'i	2	3	13	0	1	11	2	32	4
City and County of Honolulu	26	19	40	0	5	24	1	115	4
County of Maui	3	0	19	0	4	9	8	43	0
County of Hawai'i	2	2	17	1	0	1	5	28	2
Total	33	24	89	1	10	45	16	218	10

Source: Hawai'i Emergency Management Agency 2017; Federal Emergency Management Agency Lifeline Data 2020; Tetra Tech Inc. and Sobis Inc. 2017

Table 4.2-11. Community Lifelines and Critical Facilities Located in the 1%CFZ-3.2, by Category

	Total Number of	Total Replacement	Number of Facilities	Percent of Total	Value in the	Percent of
Category	Facilities	Cost Value	in 1%CFZ-3.2	Facilities	1%CFZ-3.2	Total Value
Communications	188	\$776,797,683	33	17.6%	\$100,222,641	12.9%
Energy	89	\$3,093,949,530	24	27.0%	\$823,383,230	26.6%
Food, Water,	345	\$11,847,189,588	89	25.8%	\$3,004,912,440	25.4%
Shelter						
Hazardous	12	\$436,474,800	1	8.3%	\$36,294,000	8.3%
Material						
Health and	193	\$4,606,713,364	10	5.2%	\$112,519,594	2.4%
Medical						
Safety and Security	486	\$38,164,188,232	45	9.3%	\$3,690,769,905	9.7%
Transportation	56	\$2,039,091,600	16	28.6%	\$581,650,800	28.5%
Additional Critical	106	\$447,698,794	10	9.4%	\$38,486,080	8.6%
Facilities						
Total	1,369	\$60,964,404,797	218	15.9%	\$8,349,752,609	13.7%

Source: Hawai'i Emergency Management Agency 2017; Federal Emergency Management Agency Lifeline Data 2020; Tetra Tech Inc. and Sobis Inc. 2017

Community lifelines located on the coast are exposed to the sea level rise hazard. The primary transportation arteries for the entry of people and goods to the state are the Daniel K. Inouye International Airport and Honolulu Harbor. The International Airport serves more than 21 million passengers and receives more than 382,000 tons of cargo annually (Daniel K. Inouye





International Airport 2022). More than 10 million tons of commodities and more than 275,000 cruise ship passenger sailing pass through Honolulu Harbor each year (Department of Business, Economic Development & Tourism 2021). In addition, each island has critical points of entry for people and goods which are considered vulnerable to sea level rise if located along the coast. Interruption of interisland and transoceanic shipping and travel would impact residents, visitors and all forms of economic activity (Hawai'i Climate Change Mitigation and Adaptation Commission 2017).

ASSESSMENT OF LOCAL VULNERABILITY AND POTENTIAL LOSSES

This section provides a summary of vulnerability and potential losses to socially vulnerable and total populations, general building stock, environmental resources, and cultural assets. Similar to the analysis for state assets, a spatial exposure analysis was conducted. As noted above, vulnerability to SLR-3.2 is the potential permanent loss of assets and displacement of population located in the SLR-XA-3.2 hazard area. Vulnerability to the 1%CFZ-3.2 is the potential damage to assets as a result of event-based coastal flooding exacerbated by sea level rise.

Socially Vulnerable and Total Populations

Climate Change

As the climate changes in the State of Hawai'i, residents will continue to face natural hazard threats. With increased temperatures, vulnerable populations could face increased exposure to extreme heat and its associated illnesses such as heatstroke and cardiovascular and kidney disease. The State of Hawai'i may also see an increase in levels of vector-borne diseases, water-borne diseases such as cholera, fish poisoning, heat-related illnesses, mental health problems, respiratory diseases and other non-communicable diseases, and injury and death from tropical storms and cyclones. Inundation and flooding has led to contamination of surface water and groundwater. Polluted runoff associated with excessive stormwater can contain sewage from overflowing manholes or chemicals from commercial and industrial facilities and has already caused the closure of the beaches around the State of Hawai'i annually (University of Hawai'i at Mānoa Sea Grant College Program 2014).

Additionally, climate change can threaten food and water security, infrastructure, and public health and safety, all of which is expected to increase human migration from low- to high-elevation islands and continental sites. This will make it increasingly difficult for residents to sustain the unique customs, beliefs, and languages of the state. Climate change impacts such as reduced streamflow, saltwater intrusion, and long periods of drought threaten the cultivation of taro and other traditional crops. Low-income families that practice subsistence farming would be especially vulnerable to food insecurity. The entire population of Hawai'i is vulnerable to climate change impacts due to the state's exposure, isolation, small size, and concentration of infrastructure and economy along the coasts. Hazard events amplified by climate change are expected to become more frequent so recovery from these events will be increasingly difficult for vulnerable populations (U.S. Global Change Research Program 2018).

Sea Level Rise

People living and working in the SLR-XA-3.2 hazard area may be displaced as homes and businesses become flooded and permanently lost. The loss of structures in this area may result in nearly 20,000 displaced residents, both homeowners and renters, in need of new homes statewide (Table 4.2-12). The greatest number of people that may be displaced by mid- to late century are located in the City and County of Honolulu (13,300 people). The people displaced would include a range of incomes and living situations.

The cost of interventions to protect properties from coastal flooding and erosion risk may financially stress lower- or middle-income residents. Relocating may be difficult because of the expenses and the availability of accessible housing or the time needed to make housing accessible (U.S. Environmental Protection Agency 2021).





Table 4.2-12. Estimated Population Displaced by Sea Level Rise (SLR-XA-3.2), by County

					Population	Socially	Socially Vulnerable
			Percent of	Total	Exposed as	Vulnerable	Population
	Total	Displaced	Total	Population in	Percent of	Population in	Exposed as
County	Population	Population	Population	SLR-XA-3.2	Total	SLR-XA-3.2	Percent of Total
County of Kaua'i	71,949	0	0.00%	1007	1.4%	12	0.2%
City and County of	979,682	13,300	1.4%	26681	2.7%	6469	0.7%
Honolulu							
County of Maui	167,093	2,160	1.3%	2930	1.8%	484	0.3%
County of Hawai'i	201,350	1,000	0.5%	308	0.2%	48	0.02%
Total	1,420,074	19,830	1.4%	30927	2.2%	7,127	0.5%

Source: U.S. Census Bureau 2020; Centers for Disease Control and Prevention 2018; Hawai'i Climate Mitigation and Adaptation Commission 2017

The population over the age of 65 is more vulnerable and, physically, may have more difficulty evacuating during severe coastal flooding events. They may require extra time or outside assistance during evacuations and are more likely to seek or need medical attention, which may not be available due to isolation during a flood event (U.S. Environmental Protection Agency 2021).

Over 138,000 total residents and nearly 24,000 high vulnerability residents are vulnerable to temporary flooding from the 1%CFZ-3.2 if a severe coastal flood event impacts the entire state (Table 4.2-13). This represents the added risk of event-based coastal flooding from severe waves resulting from hurricanes and tropical cyclones that poses a potential for loss of human life and property and for severe and long-term economic disruption.

Table 4.2-13. 2020 U.S. Census Population Located in the 1%CFZ-3.2, by County

		Population							
County	Total Population	Population in 1%CFZ-3.2	Population Exposed as Percent (%) of Total	Socially Vulnerable Population Located in 1%CFZ-3.2	Socially Vulnerable Population Exposed as Percent (%) of Total				
County of Kaua'i	71,949	4813.9	6.7%	559	0.8%				
City and County of Honolulu	979,682	125,472	12.8%	21,533	2.2%				
County of Maui	167,093	5,538	3.3%	1,038	0.6%				
County of Hawai'i	201,350	2,624	1.3%	701	0.3%				
Total	Total 1,420,074.0		9.7%	23,830	1.7%				
	0								

Source: U.S. Census Bureau 2020; Centers for Disease Control and Prevention 2018; Tetra Tech Inc. and Sobis Inc. 2017

Land Use Districts

Table 4.2-14 shows the number of square miles and percent of total acres in each State Land Use District statewide; refer to Appendix F for results by county. Statewide, Nearly 35 square miles of land are exposed to 3.2 feet of sea level rise. Conservation District lands, which contain valuable environmental resources, have the most area exposure, statewide; however, the exposure accounts for less than 1% of the total Conservation District land in the state. Additional discussion of exposure and vulnerability of environmental resource areas can be found in the Environmental Resources section below. Urban District lands have the second highest area exposed, accounting for 3.7% of total Urban District land in the state. This is significant as development in these areas would need to be adapted in place to chronic flood conditions or moved elsewhere, which may result in encroachment or conversion of agricultural or Conservation District lands.





Table 4.2-14. State Land Use Districts within the Sea Level Rise Hazard Areas

Land Use District	Total (square miles)	Square miles in SLR-XA-3.2	Percent (%) of Total Area	Square miles in 1%CFZ-3.2	Percent (%) of Total Area
Agricultural	2,973.6	9.0	0.3%	35.8	1.0%
Conservation	3,202.9	13.7	0.4%	30.1	0.9%
Rural	16.3	0.6	3.7%	2.2	13.5%
Urban	319.1	11.7	3.7%	41.5	13.0%
Total	6,511.95	34.9	0.5%	109.6	1.7%

Source: State Land Use Commission, Hawaii Statewide GIS Program 2021; Honolulu County GIS 2022; Hawai'i Climate Mitigation and Adaptation Commission 2017; Tetra Tech Inc. and Sobis Inc. 2017

The 1%CFZ will expand with sea level rise meaning that more land area will be exposed to damaging wave impacts from a 1% Annual Chance Flood event. This is of particular concern for Urban Districts, which have the greatest share of developed land. With 3.2 feet of sea level rise, 13% of the state's Urban Districts are projected to be exposed to wave heights of more than 3 feet from a 1% Annual Chance Storm. This does not include exposure to wave heights of between 1.5 feet and 3 feet, which can also include significant structural damage.

General Building Stock

To further assess what is at risk, each county's general building stock's exposure was examined. Table 4.2-15 summarizes buildings that may be permanently lost due to 3.2 feet of projected sea level rise. These vulnerable structures include residential structures, hotels, and businesses. Due to the high concentration of development along the coast, the City and County of Honolulu has the greatest potential economic loss of the counties.

Table 4.2-15. Estimated Potential Structure and Property Value (Structure and Land) Loss from Sea Level Rise (SLR-XA-3.2)

County	Number of Structures	Estimated Structure and Land Value Loss
County of Kaua'i	940	\$2,600,000,000
City and County of Honolulu	3,800	\$12,900,000,000
County of Maui	1,553	\$3,490,000,000
County of Hawaiʻi	130	\$430,000,000
Total	6,423	\$19,420,000,000

Source: Hawai'i Climate Mitigation and Adaptation Commission 2017

To more fully understand the potential economic loss to 3.2 feet of sea level rise, both the value of the land and structure must be considered. According to the 2017 *Hawai'i Sea Level Rise Vulnerability and Adaptation Report*, the value of projected flooded structures, combined with the land value projected to be flooded, amounts to over \$19 billion across the state. The economic loss due to chronic flooding of roads, utilities, and other public infrastructure was not analyzed but will likely amount to a far greater loss. Utilities, such as water, wastewater, and electrical systems, often run parallel underneath roadways, making lost road mileage a good indication of extent of lost utilities. This chronically flooded infrastructure would have significant impacts on local communities as well as reverberating effects around each island through loss of commerce, loss of access to emergency services, and increased traffic on other roads and highways. Repair and relocation of vulnerable roadways are already costly efforts for the state and counties, which will only worsen as the sea level rises. Harbors and airports, often located in low-lying coastal areas in the State, face chronic flooding. For this reason, the economic loss due to





flooded critical infrastructure is expected to be an order of magnitude greater than the potential economic loss from land and structures. Refer to the 2017 *Hawai'i Sea Level Rise Vulnerability and Adaptation Report* for more detailed discussion on vulnerable areas by island.

Damages to buildings as a result of a 1% annual chance coastal flood event may also displace people from their homes, threaten life safety, and impact a community's economy and tax base. Table 4.2-16 lists the estimated cost to repair or replace flooded structures and their contents in the 1%CFZ-3.2. Statewide, this would be more than \$125 billion, of which 94% would occur in the City and County of Honolulu. This figure does not include the cost of damage to roads or utilities, which would be considerable. Areas with the highest potential economic loss resulting from a flood event are low-lying urban areas.

Table 4.2-16. Estimated General Building Stock Loss (Structure and Contents) to the 1%CFZ-3.2

County	Number of Structures Impacted	Potential Damages
County of Kaua'i	5,360	\$5,700,000,000
City and County of Honolulu	17,700	\$120,000,000,000
County of Maui	2,830	\$7,880,000
County of Hawaiʻi	470	\$110,000,000
Total	26,360	\$125,817,880,000

Source: Tetra Tech Inc. and Sobis Inc. 2017

Environmental Resources

The observed and projected influences of climate change on global and local ecosystems are diverse and often detrimental. Some of the changes likely to impact the state's ecosystems include accelerated sea level rise, ocean and atmospheric warming, increased flooding, ocean acidification, changing distributions of terrestrial and marine biota, and changing intensity and frequency of storms, among others (University of Hawai'i at Mānoa Sea Grant College Program 2014).

Climate Change

Hawaiian ecosystems will be challenged by increasing frequency and severity of climate-related disturbances (for example, storms, flooding, drought, wildfire, invasive species, and ocean acidification) and continued pressure from anthropogenic influences, such as change in land use, pollution, fragmentation of natural systems, and overexploitation of resources. Evidence of many of these climate-related impacts has already been observed in the State of Hawai'i (University of Hawai'i at Mānoa Sea Grant College Program 2014). The following provides details on how the ecosystems in the State of Hawai'i may be impacted by climate change.

- Open Ocean—The physical, chemical, and biological characteristics of the ocean are shifting around the State of Hawai'i under the influence of climate change. The ocean is getting warmer and more acidic, which has the potential to drive changes in circulation and biologic activity. This could disrupt the timing of feeding and spawning of marine species and reduce primary productivity and fish catches around the Hawaiian Islands. Acidification of the oceans threatens calcifying plankton, corals, and other species. Ocean warming could also lead to a more favorable environment for pathogens and invasive species, threatening native and endemic species of the State of Hawai'i (University of Hawai'i at Mānoa Sea Grant College Program 2014).
- Coral Reefs and Nearshore Habitats—Coral reefs and other nearshore habitats face degradation from both climate
 change and localized anthropogenic influences (Figure 4.2-12), including but not limited to, sedimentation, direct
 physical impacts, overfishing, nutrient loading from runoff, trash and microplastics, and erosion. Warmer oceans are
 leading to increased coral bleaching events and disease outbreaks in coral reefs (U.S. Environmental Protection





Agency 2022). Research findings have concluded that under a worst-case scenario, half of the coral reef ecosystems worldwide will permanently face unsuitable conditions by 2025. These conditions will likely lead to the corals dying off and other marine life will struggle to survive due to disruptions in the food chain (University of Hawai'i News 2022). Hawaiian reefs experienced statewide bleaching events in 2014, 2015, and 2019 (National Oceanic and Atmospheric Administration 2022). Ocean acidification can cause a variety of responses in marine organisms, including inhibited development of calcium carbonate shells or skeletons in corals, shellfish, and plankton and impaired physiological functions of some reef fish. Changing precipitation patterns over the Hawaiian Islands influence the quantities and concentration of stormwater runoff that enters coastal waters. Ocean acidification will reduce coral growth and health. Warming and acidification, combined with existing stresses, will strongly affect coral reef fish communities (University of Hawai'i at Mānoa Sea Grant College Program 2014).

The world's ocean CLIMATE CHANGE = OCEAN CHANGE is a massive sink that absorbs carbon dioxide burning fossil (CO2). Although this fuels for heat has slowed global producing some and energy warming, it is also industrial products fertilizing crops changing ocean raising livestock chemistry. CLIMATE CHANGE dramatically affects CORAL REEF ECOSYSTEMS Warming Ocean Sea Level Rise Changes in Changes in Altered Ocean Currents Ocean Acidification Storm Patterns Precipitation pΗ increased runoff of freshwater, stronger, more change in connectivity reduction in pH thermal stress sedimentation sediment & frequent storms & temperature regimes levels land-based pollutants

Figure 4.2-12. Climate Change Threats to Coral Reefs

Source: (National Oceanic and Atmospheric Administration 2021)

Coasts and the Built Environment—The coastline of the State of Hawai'i is composed of a diverse mixture of
environments, including sandy carbonate beaches, dunes, steep bluffs, lava benches, marshes, and fishponds, many
of which are eroding due to natural and anthropogenic causes (University of Hawai'i at Mānoa Sea Grant College
Program 2014).





Terrestrial Ecosystems—A changing climate can alter the habitats and conditions of endemic Hawaiian species, such as the Hawaiian honeycreeper and the Haleakalā silversword (Figure 4.2-13). Warmer temperatures could lead to a shift in the habitat ranges of native plants like the Haleakalā silversword, which is only found at high elevations on Mount Haleakalā and has experienced a decline in population over the last 20 years that is connected to temperature increase. Endemic bird species, such as the Hawaiian honeycreeper, could decline in population due to the warming of high-elevation forests where risk of avian disease transmission was previously low. Ranges for pests, diseases, and invasive species may expand as a result of warming temperatures. The higher elevations in the State of Hawai'i are bearing the brunt of impacts and lower elevations are seeing new habitats emerge that previously did not exist in the archipelago (University of Hawai'i at Mānoa Sea Grant College Program 2014).

Figure 4.2-13. Hawaiian Honeycreeper ('I'iwi) and Haleakalā Silversword





Sources: (American Bird Conservancy n.d.) (Pennisi 2019)

• Freshwater Resources—Climate change can lead to a decrease in precipitation, streamflow, and groundwater levels and increase the number of and duration of droughts. All of these factors can impact the water table of the State of Hawai'i. Groundwater provides a majority of drinking water in the State of Hawai'i and a lower water table will reduce the amount of water available. If drought events continue to increase, dry areas could see more fire and problems with stressed water supplies (University of Hawai'i at Mānoa Sea Grant College Program 2014).

Sea Level Rise

The loss of natural and cultural resources statewide resulting from sea level rise is difficult to quantify in dollar amounts; however, their loss would deeply impact the state. Sea level rise would take its toll on the state's world-famous beaches, including such iconic stretches of beaches such as Oahu's North Shore "Seven Mile Miracle," the beaches of Kauai's North Shore, and West Maui beaches (Hawai'i Climate Change Mitigation and Adaptation Commission 2017).

Over the past century, 70 percent of the beaches in the State of Hawai'i are undergoing chronic erosion (landward retreat) and over 13 miles of beach have been completely lost to erosion over the past century fronting seawalls and other shoreline structures. This trend of beach erosion appears to be driven in part by local sea level rise (Anderson, et al. 2018). Shoreline retreat, wetland migration and cliff collapse due to erosion are occurring now on many of the State of Hawaii's coastlines. Coastal erosion rates range from 0.5 to 1 foot per year. Nearly one-quarter of the Hawaiian Island's beaches have been significantly degraded over the past 50 years (Surfrider Foundation 2021).

Sea level rise and coastal inundation will affect coral reefs and nearshore habitats of the State of Hawai'i and may result in a shift or loss of ecosystems. Beach and wetland systems may not be able to adapt to rising sea levels and could be lost if not allowed to migrate landward. The loss of wetlands could reduce the coast's ability to buffer impacts from storms and flooding (University of Hawai'i at Mānoa Sea Grant College Program 2014).





Additionally, sea level rise has the potential to impact facilities that could release wastewater or hazardous materials and waste to nearshore waters and coastal habitats. Septic tanks, cesspools, and other on-site sewage disposal systems (OSDS) as well as other hazard materials/waste storage and disposal sites are located along the coast. The OSDS exposed to chronic flooding in the SLR-XA with 3.2 feet of sea level rise area would not only result in failure of systems to operate properly but would also degrade nearshore water quality. In the County of Hawai'i, OSDS are located along many urban and rural shoreline areas. Releases from these OSDS may change disease risk for coral reefs and negatively impacting nearby coral resources, such as those off the coast of Puakō (Hawai'i Climate Change Mitigation and Adaptation Commission 2017).

Environmental resources, including critical habitat (or habitats that are known to be essential for an endangered or threatened species), wetlands, parks and reserves, and reefs located in the assessed hazard areas are summarized in Table 4.2-17. Wetlands and coral reefs provide protection from rising sea levels and damaging wave action (Owen 2021).

Table 4.2-17. Environmental Resources Located in the Sea Level Rise Hazard Areas

Environmental Asset	Total Square Miles of Asset	SLR-XA-3.2 Area	Percent (%) of Total Asset Area	1%CFZ-3.2 Area	Percent (%) of Total Asset Area
Critical Habitat ^a	951	2	0.18%	2	0.25%
Wetlands	3,637	22	0.61%	1,075	30%
Parks and Reserves	2,778	7	0.26%	21	1%
Reefs ^b	55	1	2.01%	49	90%
Total ^c	7,420	32	0.43%	1,148	15.47%

Source: Hawai'i Climate Mitigation and Adaptation Commission 2017; (U.S. Fish and Wildlife Service 2022); (U.S. Fish and Wildlife Service 2022); (Office of Planning and Sustainable Development 2022); (Department of Lands and Natural Resources 2022); Tetra Tech Inc. and Sobis Inc. 2017

Note: a. Critical habitat area mileage includes the combined area of coverage of individual critical habitat areas.

- b. Results only show reefs within the range of the hazard area extent as delineated by the source data.
- c. Total square miles may be over-reported as some environmental asset areas may overlap.

Cultural Assets

Many Native Hawaiian cultural resources would be impacted by sea level rise as well due to the number of cultural sites located within the SLR-XA-3.2. Cultural practices, including fishing, gathering, and other cultural practices that require shoreline access would be impacted (Hawai'i Climate Change Mitigation and Adaptation Commission 2017). Iwi kūpuna (ancestral remains) were often buried in dunes and beaches, now threatened by erosion and sea level rise. Table 4.2-18 summarizes the Hawaiian Home Lands by county and Table 4.2-19 summarizes cultural resources by square miles statewide that are vulnerable to sea level rise and exacerbated impacts from coastal event-based flood events due to sea level rise.

Table 4.2-18. Hawaiian Home Lands Vulnerable to Sea Level Rise

	Area (in square miles)							
	Total Square	SLR-XA-3.2	Hazard Area as Percent	1%CFZ-3.2 Hazard	Hazard Area as Percent			
County	Miles	Hazard Area	(%) of Total Area	Area	(%) of Total Area			
County of Kaua'i	32.1	0.2	0.5%	0.7	2.2%			
City and County of Honolulu	10.6	0.1	0.8%	0.3	2.4%			
County of Maui	102.6	0.8	0.8%	1.9	1.9%			
County of Hawai'i	191.5	0.1	0.1%	1.1	0.6%			
Total	336.8	1.2	0.4%	4.0	1.2%			

Source: Hawaii State Department of Hawaiian Homelands 2021; Hawai'i Climate Mitigation and Adaptation Commission 2017; Tetra Tech Inc. and Sobis Inc. 2017





Table 4.2-19. Cultural Resources Vulnerable to Sea Level Rise, Statewide

		Area (in square miles)								
			Hazard Area as		Hazard Area as					
	Total Square	SLR-XA-3.2	Percent (%) of	1%CFZ-3.2 Hazard	Percent (%) of Total					
Cultural Resource Site Type	Miles	Hazard Area	Total Area	Area	Area					
Archaeology	90.9	3.7	4.1%	12.3	13.6%					
Burial Sensitivity Area	2.1	0.4	20.6%	0.8	36.8%					
Historic Building	2.7	0.1	4.2%	0.4	16.0%					
Historic District	849.4	9.7	1.1%	141.1	16.6%					
Historic Object	9.6	0.0	0.0%	0.0	0.0%					
Historic Structure	20.7	0.2	0.9%	0.8	3.6%					
Total	975.4	14.1	1.5%	155.4	15.9%					

Source: Department of Land and Natural Resources, Hawai'i State Historic Preservation Division 2022; Hawai'i Climate Mitigation and Adaptation Commission 2017; Tetra Tech Inc. and Sobis Inc. 2017

FUTURE CHANGES THAT MAY IMPACT STATE VULNERABILITY

Understanding future changes that impact vulnerability in the state can assist in planning for future development and ensuring that appropriate mitigation, planning, and preparedness measures are in place. The State of Hawai'i considered the following factors to examine potential conditions that may affect hazard vulnerability:

- Potential or projected development
- Projected changes in population
- Other identified conditions as relevant and appropriate

Climate Change

Climate change is a factor of change that is already influencing vulnerability to many of the other hazards of concern. Impacts of climate change on both the probability of future events and their resulting impacts are discussed in the hazard profile and vulnerability assessment sections of each hazard of concern in the 2023 SHMP Update. The extent to which climate change will be a factor of change in vulnerability for the state is only beginning to be understood through efforts like the *Hawai'i Sea Level Rise Vulnerability and Adaptation Report*. Two major factors will influence climate change impacts including whether or not global, human-caused greenhouse gas emissions will be reduced enough to avoid catastrophic impacts to the climate system and the extent to which feedback loops that are already occurring and little understood will exacerbate conditions.

Sea Level Rise

Sea level rise areas were overlaid on areas that may experience significant changes in development or redevelopment in future years (see Table 4.2-20 below; refer to Section 3 for more information on projected development areas). The results of this assessment indicate that only small portions of these areas are likely to be lost to chronic flooding from 3.2 feet of sea level rise; however, substantial portions of these areas are located in areas that will be exposed to wave action during a 1% Annual Chance Flood event with 3.2 feet of sea level rise. In the City and County of Honolulu, 18.6% of the Hawai'i Community Development Authority (HCDA) District Area and 6.5% of the Enterprise Zones would be exposed to these damaging waves. In the County of Kaua'i, 9.9% of the Enterprise Zone's total area is exposed. As development is considered in these areas, care should be taken to avoid further developing land that will be lost to sea level rise, to integrate appropriate flood mitigation into development in areas that are within the 1% annual chance flood event with 3.2 feet of sea level rise, and to allow enough room for the migration of coastal resources inland as the shoreline moves landward.





Table 4.2-20. HCDA Community Development Districts, Enterprise Zones, and Maui Development Projects Within Sea Level Rise Hazard Areas

		Area (in square miles)								
County	HCDA Community Development Districts (Total Area)	Total Area Exposed to Hazard	Hazard Area as % of Total Area	Maui Development Projects (Total Area)	Total Area Exposed to Hazard	Hazard Area as % of Total Area	Enterprise Zones (Total Area)	Total Area Exposed to Hazard	Hazard Area as % of Total Area	
SLR-XA-3.2 Hazard Area										
County of Kauaʻi	-	-	-	-	-	-	251.0	6.4	2.5%	
City and County of Honolulu	7.4	0.4	5.0%	-	-	-	297.3	5.5	2.1%	
County of Maui	-	-	-	27.6	0.1	0.2%	1059.8	8.2	0.8%	
County of Hawai'i	-	-	-	-	-	-	1274.9	3.3	0.3%	
							2883.0	23.3		
1%CFZ-3.2 Hazard Area										
County of Kauaʻi	-	-	-	-	-	-	251.0	25.0	9.9%	
City and County of Honolulu	7.4	1.4	18.6%	-	-	-	297.3	19.4	6.5%	
County of Maui	-	-	-	27.6	0.1	0.3%	1059.8	15.6	1.5%	
County of Hawaiʻi	-	-	-	-	-	-	1274.9	13.5	1.1%	
Total	7.4	1.4	18.6%	27.6	0.1	0.3%	2883.0	73.5	2.6%	

Source: Maui County Planning Department 2016; Hawai'i Community Development Authority 2021; Community Economic Development Program, Department of Business, Economic Development & Tourism, County Planning Departments 2021; Hawai'i Climate Change Mitigation and Adaptation Commission 2017; Tetra Tech Inc. and Sobis Inc. 2017; U.S. Census Bureau 2021

